




CH01:ACC1-X  
max. = -4.292 (gal)




CH02:ACC1-Y  
max. = -2.802 (gal)




CH03:ACC1-Z  
max. = 1.468 (gal)




CH04:ACC2-X  
max. = 3.771 (gal)




CH05:ACC2-Y  
max. = -2.817 (gal)




CH06:ACC2-Z  
max. = 1.694 (gal)




CH07:ACC3-X  
max. = 2.945 (gal)




CH08:ACC3-Y  
max. = -2.708 (gal)




CH09:ACC3-Z  
max. = 1.598 (gal)




CH10:ACC4-X  
max. = -3.566 (gal)




CH11:ACC4-Y  
max. = 2.682 (gal)




CH12:ACC4-Z  
max. = -1.682 (gal)




CH13:ACC5-X  
max. = -3.687 (gal)




CH14:ACC5-Y  
max. = 3.152 (gal)




CH15:ACC5-Z  
max. = 1.565 (gal)




CH16:ACC6-X  
max. = 5.559 (gal)




CH17:ACC6-Y  
max. = -3.563 (gal)




CH18:ACC6-Z  
max. = -2.297 (gal)




CH19:ACC7-X  
max. = -3.947 (gal)




CH20:ACC7-Y  
max. = 3.237 (gal)




CH21:ACC7-Z  
max. = 1.860 (gal)




CH22:ACC8-X  
max. = -4.471 (gal)




CH23:ACC8-Y  
max. = 3.237 (gal)




CH24:ACC8-Z  
max. = -1.916 (gal)




CH25:ACC9-X  
max. = 5.309 (gal)




CH26:ACC9-Y  
max. = -3.248 (gal)




CH27:ACC9-Z  
max. = 2.049 (gal)




CH28:ACC10-X  
max. = 3.942 (gal)




CH29:ACC10-Y  
max. = 3.186 (gal)




CH30:ACC10-Z  
max. = 2.255 (gal)




CH31:ACC11-X  
max. = -4.476 (gal)




CH32:ACC11-Y  
max. = 3.169 (gal)




CH33:ACC11-Z  
max. = -1.709 (gal)




CH34:ACC12-X  
max. = -4.440 (gal)




CH35:ACC12-Y  
max. = 4.609 (gal)




CH36:ACC12-Z  
max. = -1.622 (gal)




CH37:ACC13-X  
max. = -6.751 (gal)




CH38:ACC13-Y  
max. = -4.168 (gal)




CH39:ACC13-Z  
max. = 3.207 (gal)




CH40:ACC14-X  
max. = 2.174 (gal)




CH41:ACC14-Y  
max. = -2.086 (gal)




CH42:ACC14-Z  
max. = 0.938 (gal)



CH43:CH43  
max. = 0.009 (gal)



CH44:CH44  
max. = -0.005 (gal)



CH45:CH45  
max. = 0.003 (gal)

