




CH01:ACC1-X
max. = 5.677 (gal)




CH02:ACC1-Y
max. = 3.570 (gal)




CH03:ACC1-Z
max. = 1.565 (gal)




CH04:ACC2-X
max. = 6.293 (gal)




CH05:ACC2-Y
max. = -3.622 (gal)




CH06:ACC2-Z
max. = 1.360 (gal)




CH07:ACC3-X
max. = 5.450 (gal)



CH08:ACC3-Y
max. = 3.584 (gal)




CH09:ACC3-Z
max. = -1.384 (gal)




(Sec)


CH10:ACC4-X
max. = -5.453 (gal)




CH11:ACC4-Y
max. = -3.781 (gal)




CH12:ACC4-Z
max. = -1.447 (gal)




CH13:ACC5-X
max. = -6.344 (gal)




CH14:ACC5-Y
max. = 5.227 (gal)




CH15:ACC5-Z
max. = 1.424 (gal)




CH16:ACC6-X
max. = 6.715 (gal)



CH17:ACC6-Y
max. = 4.689 (gal)




CH18:ACC6-Z
max. = -2.000 (gal)




(Sec)


CH19:ACC7-X
max. = -7.948 (gal)




CH20:ACC7-Y
max. = -6.296 (gal)




CH21:ACC7-Z
max. = 1.421 (gal)




CH22:ACC8-X
max. = -8.791 (gal)




CH23:ACC8-Y
max. = -6.291 (gal)




CH24:ACC8-Z
max. = -1.459 (gal)




CH25:ACC9-X
max. = 5.969 (gal)



CH26:ACC9-Y
max. = 4.663 (gal)




CH27:ACC9-Z
max. = -1.622 (gal)




(Sec)


CH28:ACC10-X
max. = 6.392 (gal)




CH29:ACC10-Y
max. = 4.691 (gal)




CH30:ACC10-Z
max. = 1.689 (gal)




CH31:ACC11-X
max. = -8.892 (gal)




CH32:ACC11-Y
max. = -6.080 (gal)




CH33:ACC11-Z
max. = -1.462 (gal)




CH34:ACC12-X
max. = -9.093 (gal)



CH35:ACC12-Y
max. = 6.321 (gal)




CH36:ACC12-Z
max. = 1.454 (gal)




(Sec)


CH37:ACC13-X
max. = 7.494 (gal)




CH38:ACC13-Y
max. = -5.076 (gal)




CH39:ACC13-Z
max. = -3.131 (gal)




CH40:ACC14-X
max. = 2.453 (gal)




CH41:ACC14-Y
max. = 1.866 (gal)




CH42:ACC14-Z
max. = -1.194 (gal)




CH43:CH43
max. = 0.011 (gal)



CH44:CH44
max. = -0.008 (gal)



CH45:CH45
max. = -0.004 (gal)



0 50 100 150 200 (Sec)