




CH01:ACC1-X
max. = 4.483 (gal)




CH02:ACC1-Y
max. = 3.999 (gal)




CH03:ACC1-Z
max. = 1.559 (gal)




CH04:ACC2-X
max. = -4.466 (gal)




CH05:ACC2-Y
max. = 4.117 (gal)




CH06:ACC2-Z
max. = -1.614 (gal)




CH07:ACC3-X
max. = -4.377 (gal)




CH08:ACC3-Y
max. = 4.063 (gal)




CH09:ACC3-Z
max. = -1.372 (gal)




CH10:ACC4-X
max. = -4.174 (gal)




CH11:ACC4-Y
max. = 3.478 (gal)




CH12:ACC4-Z
max. = -1.658 (gal)




CH13:ACC5-X
max. = -4.415 (gal)




CH14:ACC5-Y
max. = 4.935 (gal)




CH15:ACC5-Z
max. = 1.301 (gal)




CH16:ACC6-X
max. = -6.828 (gal)




CH17:ACC6-Y
max. = -4.145 (gal)




CH18:ACC6-Z
max. = 2.230 (gal)




CH19:ACC7-X
max. = 7.818 (gal)




CH20:ACC7-Y
max. = -5.164 (gal)




CH21:ACC7-Z
max. = -1.426 (gal)




CH22:ACC8-X
max. = -4.850 (gal)




CH23:ACC8-Y
max. = -5.235 (gal)




CH24:ACC8-Z
max. = -1.719 (gal)




CH25:ACC9-X
max. = -6.235 (gal)



CH26:ACC9-Y
max. = 4.349 (gal)




CH27:ACC9-Z
max. = 1.868 (gal)




豊洲キャンパス

2008/07/19 11:39:58.00 遅延時間:10.00Sec(時刻修正:06/23 19:19:08)


CH28:ACC10-X
max. = 4.588 (gal)




CH29:ACC10-Y
max. = 4.427 (gal)




CH30:ACC10-Z
max. = 1.578 (gal)




CH31:ACC11-X
max. = -4.859 (gal)




CH32:ACC11-Y
max. = -5.172 (gal)




CH33:ACC11-Z
max. = -1.656 (gal)




CH34:ACC12-X
max. = 4.758 (gal)




CH35:ACC12-Y
max. = 5.734 (gal)




CH36:ACC12-Z
max. = 1.388 (gal)




CH37:ACC13-X
max. = -5.016 (gal)




CH38:ACC13-Y
max. = 4.732 (gal)




CH39:ACC13-Z
max. = -2.271 (gal)




CH40:ACC14-X
max. = 1.769 (gal)




CH41:ACC14-Y
max. = 2.487 (gal)




CH42:ACC14-Z
max. = 1.204 (gal)



CH43:CH43
max. = -0.008 (gal)



CH44:CH44
max. = -0.005 (gal)



CH45:CH45
max. = 0.003 (gal)

